

FIG. 1A

Policy Manager SERVER

Non-volatile Memory 124
Policy Manager 210
Management Station 212
Distributor 214
Logger 216
DBMS 218
Audit Log 220
Optimized Policy 222
Enterprise Policy 224
Administrative Policy 226
Local Administrative Policy 228

FIG. 2

Management station pr

Busineis Losic ConsolaBLC)

Non-volatile Memory 124

F16.2A

214

to Hetwork 114

Policy Distributor

CLIENT Server

Non-volatile Memory 138	
Application Guard 310	
Application 312	
Authorization Library 314	
Authorization Engine 316	
Local Client Policy 318	

FIG. 3

Client Server

Men-volatile memory 138 Application from 310 (BLE) Authorization Library 314 was alient Reporting ARI

tis. 34




FIG. 4




FIG. 5




FIG. 6

1.

Client Access Authorization




FIG. 7




FIG. 8

Distribute Policy








FIG.9









start 1304 Enter a reconstruction request ~1306 Generate a combined reversing Change D (reversing) ~ 1308 Send the Combined reversing change Virenersing to Policy Distributor دا **3** اسر Transmit the Combined reversing change D (reversing) ~1312 Reconstruct a previously enforced policy version based on the combined reversing change Direversing, End FIG. 13: -




下19.14



F16. 15



F14.16



F16. 17